Fujitsu recommends Windows 8 Pro.



# Data Sheet Fujitsu LIFEBOOK E782 Notebook

### Your Comprehensive Top Performer

If you need a solid, reliable notebook to support you in your daily work, choose the Fujitsu LIFEBOOK E782. Its 39.6 cm (15.6-inch) display and useful interfaces offer you convenience in the office. The modular bay for a second battery or hard disk drive lets you extend battery runtime or storage, enhancing your flexibility. In addition, the solid magnesium lid enables increased stability wherever you're working.

### Performance of a desktop in a notebook

Effective working even for the most demanding of users in all situations.

■ 39.6 cm (15.6-inch) HD, HD+ or Full HD display, modular bay for an optional second hard disk drive, a second battery, DVD Super Multi, Blu-ray Disc™ Triple Writer or optical drive

### Maximum connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

■ Integrated DisplayPort, eSATA, serial port, USB 3.0, optional embedded 3G/UMTS or 4G/LTE, WLAN and Bluetooth®

### Maximum security

Protect your company data against unauthorized third-party access.

Advanced Theft Protection (Intel® Anti Theft & Computrace®), integrated SmartCard slot, optional fingerprint sensor, TPM and OmniPass software

### Reliable companion

Effective and ergonomic work in every situation even for the most demanding of users.

Robust magnesium lid, ShockSensor, optional webcam, port replicator, optional 0-Watt AC Adapter guarantees that the notebook does not use any power when in off-mode and Anytime USB Charge to charge telephone and media devices even when the system is switched off.

### Great flexibility

The family concept offers same design and accessory components for LIFEBOOK E752 and E782 as well as for LIFEBOOK S752 and S782.

Same industrial design, bit image, BIOS and accessories such as port replicator, power supply unit, keyboard and modular bay for optical drive, second battery and second hard disk drive

























# Components

Processor	Intel® Core™ i7-3632QM processor (2.2 GHz, up to 3.2 GHz, 6 MB) *
	Intel® Core™ i5-3210M processor (2.5 GHz, up to 3.1 GHz, 3 MB) *
	Intel® Core™ i5-2450M processor (2.5 GHz, 3 MB) *
	Intel® Core™ i3-3110M processor (2.4 GHz, 3 MB) *
	Intel® Core™ i3-2370M processor (2.4 GHz, 3 MB) *
	Intel® Core™ i7-3612QM processor (2.1 GHz, up to 3.1 GHz, 6 MB) *
	Intel® Core™ i7-3520M processor (2.9 GHz, up to 3.6 GHz, 4 MB)
	Intel® Core™ i5-3360M processor (2.8 GHz, up to 3.5 GHz, 3 MB)
	Intel® Core™ i5-3320M processor (2.6 GHz, up to 3.3 GHz, 3 MB)
	*Processor only for retail, SMB, education and government
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes
	Intel® Core™ Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Small Business
)perating systems	
Operating system	Windows 8 Pro 64-bit
	Windows 8 64-bit
	Windows® 7 Professional 64-bit
	Windows® 7 Home Premium 64-bit
	Windows® 7 Home Basic (EM) 64-bit
perating system compatible	Windows® XP 32-bit
	Windows® 7 32-bit
	Windows 8 32-bit
perating system notes	Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via
	http://support.ts.fujitsu.com
Nemory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
	4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
	8 GB (1 module(s) 8 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
Base unit memory	LIFEBOOK E782 15.6-inch vPro 10-key
upported capacity RAM (max.)	16 GB
Nemory slots total	2
Nemory slot type	DIMM (DDR3)
Memory notes	DDR3 - 1600 MHz
lard dick drives (internal)	SSD SATA III FDE, 128 GB, 2.5-inch
Hard disk drives (internal)	SSD SATA III, 256 GB, 2.5-inch
	SSD SATA III, 128 GB, 2.5-inch
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	mSATA, 32 GB, SSD cache for IRST & Express Cache
	FDE, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 18 GB of HDD space is reserved for system recovery
	Internal HDD interface: S-ATA III (6GBit/s)
WLAN (optional)	Intel® Centrino® 6205 802.11 a/b/g/n
	Intel® Centrino® Wireless-N2200 b/g/n
Misolass tashpalasiss	· · · · · · · · · · · · · · · · · · ·
Vireless technologies	2 dual hand WI AN aptopped 2 HMTS/ITE antennes entired 1 Divetor to a serior all
Antennas	2 dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna optional

Page 2 / 7 www.fujitsu.com/fts/mobile

Wireless technologies	
WLAN notes	Import and usage according to country-specific regulations.
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)  LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
Bluetooth (optional)	Bluetooth 4.0
Display	39.6 cm (15.6-inch), LED backlight, (HD+), Anti-glare display, magnesium, 1600 x 900 pixel, 300:1, 220 cd/m
	39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 220 cd/m
	39.6 cm (15.6-inch), LED backlight, (Full HD), Anti-glare display, magnesium, 1920 x 1080 pixel, 300:1, 300 cd/m
Modular bay options	2nd battery
modula say apadas	2nd hard disk drive (S-ATA II)
	Blu-ray Disc™ Triple Writer
	DVD Super Multi
	Weight saver
Base unit	LIFEBOOK E782 15.6-inch vPro 10-key
General system information	
Chipset	Intel® QM77
Chipset notes	supports iAMT 8.0, Intel® vPro™ requires Core i5-33xx / i7-35xx processor, Intel W-LAN 6205 & TPM module
BIOS features	BIOS based on Phoenix SecureCore
Graphics	
TFT resolution (DisplayPort)	up to 2560 x 1600
TFT resolution (VGA)	up to 1920 x 1200
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200
TFT resolution (DisplayPort on Port	up to 2560 x 1600
Replicator)	
Graphics brand name	Intel® HD Graphics 4000 with 3rd generation Core i processors
Graphics features	3 Display Support with 3rd generation Core i processors
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB, MS Pro, MS Pro Duo)
ExpressCard slots	1 (34 / 54 mm supported)
SmartCard slot	1
SIM card slot	1 (usable only with 3G/UMTS, 4G/LTE)
Modem (RJ-11)	1 (optional)
eSATA & USB combo	1
USB 3.0 total	2
USB 2.0 total	2 (1x with Anytime USB Charge functionality)
Serial (RS-232)	1
VGA	1
DisplayPort	1 (V1.1a)
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Internal microphones	2x digital (array) microphones as option
Docking connector for Port Replicator	1
Kensington Lock support	1
Wired communication	
Modem type	Optional: 56 K V.92 modem
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM

Page 3 / 7 www.fujitsu.com/fts/mobile

Keyboard and pointing devices	
,	Spill-resistant keyboard
	Number of keyboard keys: 104, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm
	Multi gesture touchpad with two mouse buttons
	Optional: Fingerprint sensor
	Optional: TouchStick
	Application buttons
Multimedia	
Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers
Camera	Optional: Built-in webcam, Full HD (Microsoft® Lync™)
Power supply	
AC Adapter	19 V / 65 W (3.42 A) , 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Slim and light AC-Adapter
•	19 V / 65 W (3.42 A) , 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard AC-Adapter
	19 V / 100 W (5.27 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input), 50 Hz - 60 Hz, 0-Watt AC Adapter technology
Notes	65W AC Adapter for usage with system with i3/i5 processors and with HD or HD+ panels/ 80W AC Adapter for usage
	with Port Replicator or for systems with i7 processor or with Full-HD panels
1st battery options	Li-lon battery 6-cell, 6700 mAh, 72 Wh
	Li-lon battery 6-cell, 5600 or 5800 mAh, 63 Wh
2nd battery (optional)	Li-lon battery 6-cell, 3.800 mAh, 41 Wh
Runtime 1st battery	up to 12 h
Runtime 1st + 2nd battery	up to 18 h
Battery charging time	~160 min (63Wh) ~ 190 min (72Wh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.
Related Processors for power consumption	capacity siightly decreases with every charging eyele and over the incense.
Power consumption note	See white paper Energy Consumption
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=63178abd-2246-4f3e-b916-514b34bff65f
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	372 x 245 x 35 mm
Weight	2.4 kg
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35°C
Operating ambient temperature  Operating relative humidity	20 - 85 %
Additional Software	
Additional software (preinstalled)	Adobe® Reader®
Auditional Software (premstaneu)	Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) 60 days version Win8: Microsoft Push Button Recovery (Hard Disk Based Recovery) Don't forget Office. Win7: Fujitsu Recovery (Hard Disk Based Recovery)

Page 4 / 7 www.fujitsu.com/fts/mobile

Additional California	
Additional Software	Drivers 9. Heilities DVD /DHDVD)
Additional software (optional)	Drivers & Utilities DVD (DUDVD)  UMTS connection manager (optional with UMTS)
 Manageability	5 (1
Manageability technology	DeskUpdate Driver management
manageariney technology	PXE 2.1 Boot code
	Wake up from S5 (off mode)
	Intel® vPro™ technology
	WoL (Wake on LAN)
	iAMT 8.0 (depending on CPU)
Manageability software	DeskView Client
	DeskView Instant BIOS Management
2 110	DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management
	BIOS Management Driver Management
	Security Management
	Alarm Management
Supported standards	WMI
	PXE
	BootP (made4you)
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html
Security	
System protection	Kensington Lock support
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®)
	Optional: Trusted platform module (TPM 1.2)
	Norton Internet Security (incl. Firewall) 60 days version
Access protection	Hard disk password
	Integrated SmartCard slot
	User and supervisor BIOS password Optional: Integrated fingerprint sensor including OmniPass software
Des dust	optional. Integrated imgerprint sensor including official assistance
Product	(beansle) 27
Germany	GS (planned) CE
Europe	CB
	Nordic Swan in progress
Global	RoHS (Restriction of hazardous substances)
Global	WEEE (Waste electrical and electronic equipment)
	Microsoft Operating Systems (HCT / HCL entry / WHQL)
	WiFi certified
	ENERGY STAR® 5.0
	EPEAT® Gold (dedicated regions)
Compliance notes	Above mentioned compliances are planned but not available at preliminary stage.
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
Port Replicator interfaces (optional)	
DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 2.0 total	4
DisplayPort	1 (up to 2560 x 1600)
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200)
Serial (RS-232)	1

Page 5 / 7 www.fujitsu.com/fts/mobile

Port Replicator interfaces (option	nal)
Ethernet (RJ-45)	1 (10/100/1000)
Parallel	1
Kensington Lock support	2 (1x Port rep only, 1x PR & System)
eSATA	1
Notes	Port replicator supports 0-Watts functionality in combination with LIFEBOOK E752, E782 and LIFEBOOK S752, S782
Warranty	
Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)
Maintenance and Support Service	ces - the perfect extension
Recommended Service	5x9, response time: next business day, on-site-Service
Spare Parts availability	5 years
Service Weblink	http://www.fujitsu.com/fts/services/support



## Recommended Accessories

## Port Replicator



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu docking options. In the office or at home S26391-F1147-L100 it takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse, for example. Your workplace is simple and tidy while you are ready to work with your notebook.

### USB 3.0 Hub 4 Ports



Connecting all of your USB peripherals is quick and easy with the Fujitsu USB 3.0 Hub 4 Ports. SuperSpeed USB 3.0 makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically.

Order Code: \$26391-F6099-L304

### AC Adapter LIFEBOOK

Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere – just leave one AC Adapter in your office and take your second AC-Adapter along with you.

Order Code: S26391-F886-L200

### Second Battery for Modular Bay



Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.

Order Code: S26391-F777-L200

# Wireless Notebook Mouse WI610



The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.

Order Code: S26381-K460-L100

Page 6 / 7 www.fujitsu.com/fts/mobile

### More information

### **Fujitsu OPTIMIZATION Services**

In addition to Fujitsu LIFEBOOK E782, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### **Computing Products**

www.fujitsu.com/global/services/computing/

### Software

www.fujitsu.com/software/

### More information

Learn more about Fujitsu LIFEBOOK E782, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



### Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

Copyright © Fujitsu Technology Solutions

### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2012-10-26 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions